

Name Subhi Abu-Abeid Degree MD CV updated 12.12.2017

CURRICULUM VITAE

NAME Subhi Abu-Abeid (Abid, Avid) MD 053787321

(First) (Last) *Academic Degree* *I.D No.*

FACULTY/DEPT Sackler Faculty of Medicine

HOSPITAL/DEPT Department Surgery B, Tel Aviv Sourasky Medical Center

Tel: 03-6973315

HOME ADDRESS No Jacob Kaplan, Tel Aviv-Yafo 6817533

EMAIL* subhia@tlvmc.gov.il Mobile Phone* 052-4266370

DATE AND PLACE OF BIRTH 11.03.56 - Misar Village, Israel

MARITAL STATUS Married + 3

A. Education

PERIODS OF STUDIES

Hebrew University, Jerusalem, Israel 1976-1982

(Name of University, City, Country) *Period*

Subject Medicine

Degree or Professional License MD *Date Awarded* 1982

Title of Doctoral Dissertation Interaction of normal and leukemic hematopoietic cells with cultured endothelial cells and their ECM

Supervised by: Prof. Polyak A, Dr. Voldvosky Y

Date Awarded 1982

B. FURTHER STUDIES

- 1986 General Surgery, Postgraduate Medical School.
- 1988 Research Fellow, Gastroenterology Unit, Rikva Ziv Medical Center, Safed.
Subject: A new method for estimation of gastric acid output, and if there is tachyphilaxis to pentagastrin.
- 1991 Advanced Trauma Life Support (ATLS) Course.
- 1995 Surgical Laparoscopy Course, European Surgical Institute, Hamburg, Germany.
- 1996 Laparoscopic Gastroplasty, Liege Hospital, Liege, Belgium.
- 2000 Implantable Gastric Stimulator, Magdenburg University, Germany.
- 2001 Gastric Bypass Course, University of Atlanta, GA, USA.
- 2006 Gastric Bypass Surgery, Cleveland clinic, South Florida, USA.
- 2016 Training Collaboration Meeting in MCI Medical Specialized Area – Bariatric Surgery. Turkey.
- 2017 Symposium on Surgical Controversies in Bariatric & Metabolic Surgery. Germany.

C. ACADEMIC & PROFESSIONAL ACTIVITIES & ACHIEVEMENTS

C1.ACADEMIC EXPERIENCE

- 1985-1988 Teaching Surgery.
School of Nursing, Rivka Ziv Medical Center, Safed.
- 1989 Teaching Undergraduates General Surgery.
Sackler Faculty of Medicine, Tel Aviv University.
- 1990-1992 Teaching Surgery.
Sheinborn School of Nursing. Tel Aviv Sourasky Medical Center.
- 1992 Coordinating Emergency Medicine Training.
Sheinborn School of Nursing. Tel Aviv Sourasky Medical Center.
- 1992 In Charge of Advanced Trauma Life Support Course for Interns.
Tel Aviv Sourasky Medical Center.

- 1993 Coordinating Emergency Medicine Training. Sackler Faculty of Medicine, Tel Aviv University.
- 1999-2003 Training General Surgeons in the Technique of Advanced Laparoscopic Bariatric Surgery.

C2. PROFESSIONAL EXPERIENCE.

- 1983 Rotating Internship.
Rambam Medical Center, Haifa.
- 1984-1989 General Surgery Resident.
Rivka Ziv Medical Center, Safed.
- 1989-1990 General Surgery Resident.
Rokach Hospital, Tel Aviv.
- 1990-1991 General Surgery Senior Resident.
Rokach Hospital, Tel Aviv.
- 1992 General Surgery Senior Surgeon.
Tel Aviv Sourasky Medical Center.
- 1998-present Deputy Chair, General Surgery.
Tel Aviv Sourasky Medical Center.

C3. ACTIVE PARTICIPATION IN SCIENTIFIC MEETINGS*

Date	Country	Subject	Role (Speaker, Member of Steering Committee, Active Participation etc.)
1985	Israel	The Israeli Surgical Society Meeting	
1986	Israel	9 th World Congress of the Collegium Internrtional Chirurgia Digestiva (CICD)	
1988	Israel	Annual Conference of the Israel Surgical	

		Society	
1989	Israel	Israeli Society of Gastroenterology Meeting	
1993	Israel	7 th European Conference on Clinical Oncology and Cancer Nursing (ECCO7)	
1993	Germany	ICRCT 93, VI International Conference on Regional Cancer Treatment	
1995	USA	The 38 th Annual Clinical Conference of the MD Anderson Cancer Center	
1995	Israel	Meeting of the Israel Surgical Oncology Society: Medax '95: 10 th Israel Medical Week	
1995	Germany	VII International Congress on Regional Cancer Treatment	
1995	USA	Surgical Forum, 81 st Clinical Congress of the American College of Surgeons	
1996	Israel	2 nd Interim International Conference on Regional Cancer Treatment	
1996	Turkey	9 th Meeting of the European Musculoskeletal Oncology Society (EMSOS)	

1996	Italy	2 nd Osteosarcoma Research Conference	
1997	USA	50 th Annual Meeting of the Society of Surgical Oncology	
1997	UK	2 nd International Conference on the Adjuvant Therapy of Malignant Melanoma	
1997	USA	Ninth International Symposium on Limb Salvage	
1998	USA	First World Congress of Surgical Oncology/51 st Annual Meeting of the Society of Surgical Oncology	
1998	Switzerland	9 th Congress of the European Society of Surgical Oncology	
1998	USA	15 th Annual Meeting of the American Society for Bariatric Surgery	
1998	Italy	6 th World Congress of Endoscopic Surgery	
1998	Belgium	European Society for Bariatric Surgery	
1998	USA	American College of Surgeons: Surgical Forum	
1999	France	Ninth International Congress on Anti-Cancer Treatment	
1999	USA	Annual Scientific Session, Society of American	

		Gastrointestinal Endoscopic Surgeons (SAGES)	
1999	Israel	21 st Meeting of the Israel Surgical Society	
1999	Greece	4 th International Symposium on Advanced Laparoscopic Surgery	
1999	Spain	17 th European Congress of Pathology & XIX Spanish Congress of Pathology	
1999	Austria	13 th International Symposium on Obesity Surgery/4 th Congress of the International Federation for the Surgery of Obesity	Invited Lecture
1999	Israel	Israel Diabetes Association: Meeting on Morbid Obesity	
1999	Israel	Bi-Annual Meeting of Israel Society of Gastroenterology	
2000	USA	Annual Meeting of the Society of American Gastrointestinal Endoscopic Surgeons (SAGES)	
2000	USA	Meeting of the American Society for Bariatric Surgery	
2000	Italy	14 th Int. Symposium on Obesity Surgery/5 th Congress	

		of the Int. Fed. for the Surgery of Obesity/2 nd Int. Symposium on Laparoscopic Obesity Surgery	
2000	Germany	World Congress of High-tech Medicine, Expo	Invited Lecture
2001	Israel	Annual Meeting of the Israel Surgical Society	
2001	USA	American Society of Clinical Oncology (ASCO) Meeting	
2001	USA	18 th Annual Meeting of the American Society for Bariatric Surgery	
2001	Crete	6 th World Congress of the International Federation for Obesity Surgery	Invited Lecture
2002	USA	Meeting of the American Society for Bariatric Surgery	
2002	Brazil	7 th World Congress of the International Federation for the Surgery of Obesity	
2002	Israel	US-Israel Solidarity Medical Conference	
2002	Israel	Meeting of the Israeli Gastroenterology and Liver Disease Society	
2003	USA	20 th Annual Meeting of the American Society of Bariatric	Speaker

		Surgery	
2003	Spain	8 th World Congress of the International Federation for the Surgery of Obesity	Speaker
2004	Austria	2 nd Alpine Congress on Obesity Surgery	Speaker
2004	Japan	9 th World Congress of the International Federation for the Surgery of Obesity	Speaker
2004	Israel	The Combined Meeting of the Colon and Rectum Society and Endoscopic Surgery	Speaker
2005	USA	SAGES 2005	Speaker
2005	Israel	Annual Meeting of the Israel Surgical Society	Speaker
2005	Israel	Second Annual Meeting of the Israeli Society for the Investigation and Treatment of Obesity	Speaker
2005	Netherlands	10 th World Congress of the International Federation for the Surgery of Obesity	Speaker
2006	Austria	4 th International Alpine Obesity Surgery Expert Meeting	Speaker
2008	Israel	Israel Surgical Association and the Israeli Society for Endoscopic Surgery	Speaker
2008	Argentina	IFSO World Congress	Chairman of Session

2010	USA	IFSO	Speaker
2012	India	IFSO	Speaker
2014	Israel	Joint Conference of the Israeli Society of Endoscopic Surgery, Israel Society of Colon and Rectal Surgery and the Israel Bariatric Surgery Society	Speaker
2015	Austria	International Federation for the Surgery of Obesity and Metabolic Disorders (IFSO)	Speaker
2016	England	EuroSciCon	Speaker
2016	Israel	Medico2016	Speaker
2016	Sweden	EOS – European Obesity Summit	Speaker
2016	UK	Annual Conference MINI GASTRIC BYPASS/ ONE ANASTOMOSIS GASTRIC BYPASS CLUB	Speaker
2016	Brazil	IFSO	Speaker
2017	USA	IFSO	Speaker
2017	Israel	DiaObesity Summit	Speaker and Panel Member

C4. MEMBERSHIP IN PROFESSIONAL SOCIETIES*

Years (period)	Name of Organization		
1983-present	Israel Medical Association		
1992-present	Israel Surgical Society		

1997-present	American Society of Bariatric Surgery		
1998-present	International Federation of Surgery for Obesity (IFSO)		
1999-present	Israel Society for Endoscopic Surgery		

E. M.A./M.Sc. STUDENTS:

Years (period)	Name of Student	Subject	Academic Institute	In collaboration with
2014	Anat Manor	Psychological Indicators Among Candidates for Bariatric Surgery	Tel Aviv University	

SCIENTIFIC PUBLICATIONS

A. BOOKS AND MONOGRAPHS

B. TEXTBOOKS (not for MDs)

B.1. ORIGINAL ARTICLES*

(Including IF; No. of Citations; Rank of Journal in Discipline)

B.1. Articles Published

1. Niv Y, **Abu-Avid S (Abu-Abeid S)**, Oren M.
[Multiple primary retroperitoneal liposarcoma].
Harefuah. 1986;111(7-8):173-5. [Hebrew]
2. Niv Y, **Abu-Avid S (Abu-Abeid S)**.
Pentagastrin-stimulated gastric acid secretion: does desensitization exist?
J Clin Gastroenterol. 1989;11(6):635-8.
3. Niv Y, **Abu-Abeid S**, Newman G.
Further studies of the alkaline tide as a measure of gastric acid secretion.
Gastroenterol. 1990; 98(5 part 2): A97.
4. Niv Y, **Abu-Avid S (Abu-Abeid S)**, Oren M.
Internal rectal prolapse: rubber-band ligation as treatment for a neglected disease.
Mt Sinai J Med. 1990;57(2):106-8.
5. Niv Y, **Abu-Avid S (Abu-Abeid S)**, Chana T.
Treatment of duodenitis with cimetidine: a clinical, endoscopic, and histologic study.
J Clin Gastroenterol. 1990;12(6):628-32.
6. Inbar M, **Abu-Abeid S**, Lev D, Chaitchik S, Klausner JM.
R-Tumor Necrosis Factor-alpha with Melphalan administration via isolated limb perfusion (ILP) for extensive soft tissue sarcoma.
Cancer Researcher Weekly July 1994: 17.
7. Klausner JM, **Abu-Abid S (Abu-Abeid S)**, Alexander JS, Hanshke-Mineau R, Goldman G, Morel N, Valeri CR, Shepro D, Hechtman HB.
Thromboxane modulates endothelial permeability.
Mediators Inflamm. 1994;3(2):149-53.
8. Sorkin P, **Abu-Abid S (Abu-Abeid S)**, Lev D, Gutman M, Aderka D, Halpern P, Setton A, Kudlik N, Bar-On J, Rudich V.
Systemic leakage and side effects of tumor necrosis factor alpha administered

via isolated limb perfusion can be manipulated by flow rate adjustment.
Arch Surg. 1995;130(10):1079-84.

9. Lev D, Abu-Abeid S, Inbar M, Meller I, Chaitchik S, Merhav A, Klausner JM, Gutman M.
High dose tumor necrosis factor administered in isolated limb perfusion leads to 97% response rate in advanced soft tissue sarcoma.
Surgical Forum. 1995; 46:523-5.
10. Gutman M, Abu-Abid S (Abu-Abeid S), Inbar M, Lev D, Chaitchik S, Sorkin P, Klausner JM.
Intra-arterial chemotherapy with concomitant hemofiltration (chemofiltration) for treatment of loco-regional or pelvic metastases from malignant melanoma.
Melanoma Res. 1996;6(2):167-71.
11. Gutman M, Abu-Abid S (Abu-Abeid S), Sorkine P, Inbar M, Lev D, Chen Z, Oron D, Chaitchik S, Klausner JM.
Regional perfusion with hemofiltration (chemofiltration) for the treatment of patients with regionally advanced cancer.
Cancer. 1996;78(5):1125-30.
12. Abu-Abid S (Abu-Abeid S), Gutman M, Lev D, Inbar M, Chaitchik S, Sorkine P, Rudick V, Meller I, Klausner JM.
[Isolated limb perfusion with tumor necrosis factor for malignancies of the limbs].
Harefuah. 1996;131(7-8):227-32. [Hebrew]
13. Gutman M, Lev D, Abu-Abeid S, Sorkin P, Inbar M, Klausner JM.
Systemic toxicity of tumor necrosis factor administered via high flow isolated limb perfusion.
Reg Cancer Treat. 1996;9:8-12.
14. Gutman M, Inbar M, Lev-Shlush D, Abu-Abid S (Abu-Abeid S), Mozes M, Chaitchik S, Meller I, Klausner JM.
High dose tumor necrosis factor-alpha and melphalan administered via isolated limb perfusion for advanced limb soft tissue sarcoma results in a >90% response rate and limb preservation.
Cancer. 1997;79(6):1129-37.
15. Aderka D, Sorkine P, Abu-Abid S (Abu-Abeid S), Lev D, Setton A, Cope AP, Wallach D, Klausner J.
Shedding kinetics of soluble tumor necrosis factor (TNF) receptors after systemic TNF leaking during isolated limb perfusion. Relevance to the pathophysiology of septic shock.
J Clin Invest. 1998;101(3):650-9.

16. Abu-Abeid S, Aderka D, Lev-Chelouche D, Cope AP, Wallach D, Gutman M & Klausner JM.
Shedding of soluble TNF receptors induced by systemic TNF leakage following isolated limb perfusion in cancer patients: Its relevance to septic shock-like syndrome.
Surgical Forum.1998; XLIX, 95-97.
17. Cohen M, Tamir E, **Abu-Abid S (Abu-Abeid S)**, Galili Y, Giladi M, Avital S, Shafir R, Klausner Y.
[The diagnosis and treatment of Fournier's gangrene].
Harefuah. 1998;135(9):360-3, 407. [Hebrew]
18. Lev-Chelouche D, **Abu-Abeid S**, Merimsky O, Isakov J, Kollander Y, Meller I, Klausner JM, Gutman M.
Isolated limb perfusion with high-dose tumor necrosis factor alpha and melphalan for Kaposi sarcoma.
Arch Surg. 1999;134(2):177-80.
19. Lev-Chelouche D, **Abu-Abeid S**, Kollander Y, Meller I, Isakov J, Merimsky O, Klausner JM, Gutman M.
Multifocal soft tissue sarcoma: limb salvage following hyperthermic isolated limb perfusion with high-dose tumor necrosis factor and melphalan.
J Surg Oncol. 1999;70(3):185-9.
20. **Abu-Abeid S**, Szold A.
Results and complications of laparoscopic adjustable gastric banding: an early and intermediate experience.
Obes Surg. 1999;9(2):188-90.
21. Lev-Chelouche D, **Abu-Abeid S**, Gutman M, Kluger Y, Michovitch M, Meller I, Inbar M, Klausner JM.
[Retroperitoneal sarcoma. Treatment of 51 patients].
Harefuah. 1999;136(8):589-93, 660. [Hebrew]
22. Bickels J, Manusama ER, Gutman M, Eggermont AM, Kollander Y, **Abu-Abid S (Abu-Abeid S)**, Van Geel AN, Lev-Shlush D, Klausner JM, Meller I.
Isolated limb perfusion with tumour necrosis factor-alpha and melphalan for unresectable bone sarcomas of the lower extremity.
Eur J Surg Oncol. 1999;25(5):509-14.
23. Lev-Chelouche D, **Abu-Abeid S**, Nakache R, Issakov J, Kollander Y, Merimsky O, Meller I, Klausner JM, Gutman M.
Limb desmoid tumors: a possible role for isolated limb perfusion with tumor necrosis factor-alpha and melphalan.

Surgery. 1999;126(5):963-7.

24. Szold A, Schwartz J, **Abu-Abeid S**, Bulvik S, Eldor A.
Laparoscopic splenectomies for idiopathic thrombocytopenic purpura: experience of sixty cases.
Am J Hematol. 2000;63(1):7-10.
25. Issakov J, Merimsky O, Gutman M, Kollender Y, Lev-Chelouche D, **Abu-Abid S (Abu-Abeid S)**, Lifschitz-Mercer B, Inbar M, Klausner JM, Meller I.
Hyperthermic isolated limb perfusion with tumor necrosis factor-alpha and melphalan in advanced soft-tissue sarcomas: histopathological considerations.
Ann Surg Oncol. 2000;7(2):155-9.
26. **Abu-Abeid S**, Keidar A, Szold A.
Resolution of chronic medical conditions after laparoscopic adjustable silicone gastric banding for the treatment of morbid obesity in the elderly.
Surg Endosc. 2001;15(2):132-4.
27. **Abu-Abeid S**, Szold A.
Laparoscopic management of Lap-Band erosion.
Obes Surg. 2001;11(1):87-9.
28. Jeroukhimov I, Weinbroum A, Ben-Avraham R, **Abu-Abid S (Abu-Abeid S)**, Michowitz M, Kluger Y.
Effect of methylene blue on resuscitation after haemorrhagic shock.
Eur J Surg. 2001;167(10):742-7.
29. Szold A, **Abu-Abeid S**.
Laparoscopic adjustable silicone gastric banding for morbid obesity: results and complications in 715 patients.
Surg Endosc. 2002;16(2):230-3.
30. **Abu-Abeid S**, Szold A, Gavert N, Goldiner I, Grynberg E, Peretz H, Konikoff FM.
Apolipoprotein-E genotype and the risk of developing cholelithiasis following bariatric surgery: a clue to prevention of routine prophylactic cholecystectomy.
Obes Surg. 2002;12(3):354-7.
31. **Abu-Abeid S**, Gavert N, Klausner JM, Szold A.
Bariatric surgery in adolescence.
J Pediatr Surg. 2003;38(9):1379-82.
32. Gavert N, Szold A, **Abu-Abeid S**.
Laparoscopic revisional surgery for life-threatening stenosis following vertical

banded gastroplasty, together with placement of an adjustable gastric band.
Obes Surg. 2003;13(3):399-403.

-
33. Samocha-Bonet D, Lichtenberg D, Tomer A, Deutsch V, Mardi T, Goldin Y, Abu-Abeid S, Shenkerman G, Patshornik H, Shapira I, Berliner S.
Enhanced erythrocyte adhesiveness/aggregation in obesity corresponds to low-grade inflammation.
Obes Res. 2003;11(3):403-7.
IF 4.953 [2007]; ENDOCRINOLOGY & METABOLISM 17/92 – Q1; NUTRITION & DIETETICS 4/56 – Q1; Cited: 36.
34. Abu-Abeid S, Keidar A, Gavert N, Blanc A, Szold A.
The clinical spectrum of band erosion following laparoscopic adjustable silicone gastric banding for morbid obesity.
Surg Endosc. 2003;17(6):861-3.
IF 3.747; SURGERY 25/197 – Q1; Cited: 57.
35. Berliner S, Ben-Ami R, Samocha-Bonet D, Abu-Abeid S, Schechner V, Beigel Y, Shapira I, Yedgar S, Barshtein G.
The degree of red blood cell aggregation on peripheral blood glass slides corresponds to inter-erythrocyte cohesive forces in laminar flow.
Thromb Res. 2004;114(1):37-44.
IF 2.65; HEMATOLOGY 34/70 – Q2; Cited: 18.
36. Blachar A, Federle MP, Pealer KM, Abu-Abeid S, Graif M.
Radiographic manifestations of normal postoperative anatomy and gastrointestinal complications of bariatric surgery, with emphasis on CT imaging findings.
Semin Ultrasound CT MR. 2004;25(3):239-251.
IF 1.13; RADIOLOGY, NUCLEAR MEDICINE & MEDICAL IMAGING 99/127 – Q4; Cited: 9.
37. Gavert N, Szold A, Abu-Abeid S.
Safety and feasibility of revisional laparoscopic surgery for morbid obesity: conversion of open silastic vertical banded gastroplasty to laparoscopic adjustable gastric banding.
Surg Endosc. 2004;18(2):203-6.
IF 3.747; SURGERY 25/197 – Q1; Cited: 14.
38. Samocha-Bonet D, Ben-Ami R, Shapira I, Shenkerman G, Abu-Abeid S, Stern N, Mardi T, Tulchinski T, Deutsch V, Yedgar S, Barshtein G, Berliner S.
Flow-resistant red blood cell aggregation in morbid obesity.
Int J Obes Relat Metab Disord. 2004;28(12):1528-34.
IF 5.487; ENDOCRINOLOGY & METABOLISM 19/138 – Q1; NUTRITON & DIETETICS 5/81 – Q1; Cited: 20.

39. Keidar A, Szold A, Carmon E, Blanc A, Abu-Abeid S.
Band slippage after laparoscopic adjustable gastric banding: etiology and treatment.
Surg Endosc. 2005;19(2):262-7.
IF 3.747; SURGERY 25/197 – Q1; Cited: 35.
40. Keidar A, Carmon E, Szold A, Abu-Abeid S.
Port complications following laparoscopic adjustable gastric banding for morbid obesity.
Obes Surg. 2005;15(3):361-5.
IF 3.947; SURGERY 19/197 – Q1; Cited: 54.
41. Abu-Abeid S, Bar Zohar D, Sagie B, Klausner J.
Treatment of intra-gastric band migration following laparoscopic banding: safety and feasibility of simultaneous laparoscopic band removal and replacement.
Obes Surg. 2005;15(6):849-52.
IF 3.947; SURGERY 19/197 – Q1; Cited: 39.
42. Abu-Abeid S, Wishnitzer N, Szold A, Liebergall M, Manor O.
The influence of surgically-induced weight loss on the knee joint.
Obes Surg. 2005;15(10):1437-42.
IF 3.947; SURGERY 19/197 – Q1; Cited: 31.
43. Bar-Zohar D, Sagie B, Lubezky N, Blum M, Klausner J, Abu-Abeid S.
Laparoscopic implantation of the Tenckhoff catheter for the treatment of end-stage renal failure and congestive heart failure: experience with the pelvic fixation technique.
Isr Med Assoc J. 2006;8(3):174-78.
IF 1.036; MEDICINE, GENERAL & INTERNAL 98/155 – Q3; Cited: 18.
44. Bar-Zohar D, Azem F, Klausner J, Abu-Abeid S.
Pregnancy after laparoscopic adjustable gastric banding: perinatal outcome is favorable also for women with relatively high gestational weight gain.
Surg Endosc. 2006;20(10):1580-83.
IF 3.747; SURGERY 25/197 – Q1; Cited: 38.
45. Blachar A, Blank A, Gavert N, Metzger U, Fluser G, Abu-Abeid S.
Laparoscopic adjustable gastric banding surgery for morbid obesity: imaging of normal anatomic features and postoperative gastrointestinal complications.
AJR Am J Roentgenol. 2007;188(2):472-9.
IF 2.778; RADIOLOGY, NUCLEAR MEDICINE & MEDICAL IMAGING 33/127 – Q2; Cited: 24.
46. Samocha-Bonet D, Justo D, Rogowski O, Saar N, Abu-Abeid S, Shenkerman

G, Shapira I, Berliner S, Tomer A.

Platelet counts and platelet activation markers in obese subjects.

Mediators Inflamm. 2008;2008:834153.

**IF 3.232; CELL BIOLOGY 95/190 – Q2; IMMUNOLOGY 69/151 – Q2;
Cited: 30.**

47. Lahat G, Nachmany I, Itzkowitz E, Abu-Abeid S, Barazovsky E, Merimsky O, Klausner J.

Surgery for sporadic abdominal desmoid tumor: is low/no recurrence an achievable goal?

Isr Med Assoc J. 2009;11(7):398-402.

IF 1.036; MEDICINE, GENERAL & INTERNAL 98/155 – Q3; Cited: 21.

48. Khoury W, Abu-Abeid S, Person B, Klausner JM, Kariv Y.

Missed inadvertent gastrointestinal injuries during abdominal operations: characteristics, diagnosis, and treatment.

Am Surg. 2012;78(1):46-50.

IF 0.7; SURGERY 172/197 – Q4; Cited: 4.

49. Safra T, Grisaru D, Inbar M, Abu-Abeid S, Dayan D, Matceyevsky D, Weizman A, Klausner JM.

Cytoreduction surgery with hyperthermic intraperitoneal chemotherapy in recurrent ovarian cancer improves progression-free survival, especially in BRCA-positive patients- a case-control study.

J Surg Oncol. 2014;110(6):661-5.

IF 2.993; SURGERY 43/197 – Q1; Cited: 12.

50. Fishman S, Shnell M, Gluck N, Meirsdorf S, Abu-Abeid S, Santo E.

Use of sleeve-customized self-expandable metal stents for the treatment of staple-line leakage after laparoscopic sleeve gastrectomy.

Gastrointest Endosc. 2015;81(5):1291-4.

**IF 6.501; GASTROENTEROLOGY & HEPATOLOGY 10/79 – Q1;
Cited: 5.**

51. Shnell M, Gluck N, Abu-Abeid S, Santo E, Fishman S.

Use of endoscopic septotomy for the treatment of late staple-line leaks after laparoscopic sleeve gastrectomy.

Endoscopy. 2017;49(1):59-63.

**IF 6.107; GASTROENTEROLOGY & HEPATOLOGY 11/79 – Q1;
SURGERY 6/197 – Q1; Cited: 1.**

52. Lessing Y, Pencovich N, Khatib M, Meron-Eldar S, Koriensky J, Abu-Abeid S.

One-Anastomosis Gastric Bypass: First 407 Patients in 1 year.

Obes Surg. 2017; 27(10):2583-9.

IF 3.947; SURGERY 19/197 – Q1; Cited: 1.

53. Pencovich N, Lahat G, Goldray O, Abu-Abeid S, Klausner JM, Meron Eldar S. Safety and Outcome of Laparoscopic Sleeve Gastrectomy Following Removal of Adjustable Gastric Banding: Lessons from 109 Patients in a Single Center and Review of the Literature. *Obes Surg.* 2017; 27(5):1266-70.
IF 3.947; SURGERY 19/197 – Q1; Cited: 0.
54. Lessing Y, Pencovich N, Lahat G, Klausner JM, Abu-Abeid S, Meron Eldar S. Laparoscopic sleeve gastrectomy for diabetics - 5-year outcomes. *Surg Obes Relat Dis.* 2017; 13(10):1658-63.
IF 4.496; SURGERY 11/197 - Q1; Cited: 0.
55. Nevo N, Abu-Abeid S, Lahat G, Klausner J, Eldar SM. Converting a Sleeve Gastrectomy to a Gastric Bypass for Weight Loss Failure- Is It Worth It? *Obes Surg.* 2017; doi: 10.1007/s11695-017-2856-6. [Epub ahead of print].
IF 3.947; SURGERY 19/197 – Q1; Cited: 0.

B.1. Articles Accepted

56. Abu-Abeid A, Pencovich N, Dayan D, Klausner JM, Abu-Abeid S. Diabetes resolution after one anastomosis gastric bypass. *Surg Obes Relat Dis* 2017; doi: 10.1016/j.soard.2017.10.023
IF 4.496; SURGERY 11/197 - Q1; Cited: 0.

B.1. Articles Submitted

B.2. CASE REPORTS

B.2. Case Reports published

1. Niv Y, Abu-Avid S (Abu-Abeid S), Kopelman C, Oren M. Torsion of leiomyosarcoma of Meckel's diverticulum. *Am J Gastroenterol.* 1986;81(4):288-91.
2. Niv Y, Abu-Avid S (Abu-Abeid S), Oren M. Primary Hodgkin's disease of the spleen. *Am J Med.* 1986;81(6):1120-1.
3. Niv Y, Abu-Avid S (Abu-Abeid S), Oren M. Adenocarcinoma of pancreas and duodenum associated with cutaneous neurofibromatosis. *Am J Med.* 1987;82(2):384-5.
4. Oren M, Niv Y, Abu-Abeid S. Computerized diagnosis of acute appendicitis.

Dig Surg. 1987; 3:106.

5. Niv Y, Abu-Avid S (Abu-Abeid S), Yelin A, Liberman Y.
Barrett's epithelium and esophageal adenocarcinoma in scleroderma.
Am J Gastroenterol. 1988;83(7):792-3.
6. Gur E, Michowitz M, Abu-Abeid S, Klausner Y, Yossiphov Y, Lelcuk S.
Traumatic rupture of the intestine in patients with inflammatory bowel disease.
Am Surg. 1995;61(6):539-42.
7. Abid SA (Abu-Abeid S), Gutman M, Herman O, Pausner D, Shafir R,
Klausner JM.
Massive breast hypertrophy during pregnancy: failure of medical treatment.
The Breast. 1995;4(2):153-5.

B.2. Case Reports Accepted

B.2. Case Reports Submitted

B.3. REVIEW ARTICLES

B.3. Review Articles Published

1. Niv Y, Abu-Avid S (Abu-Abeid S).
On the positioning of a nasogastric tube.
Am J Med. 1988;84(3 Pt 1):563-4.
 2. Abu-Avid S (Abu-Abeid S), Szold A, Klausner J.
Obesity and cancer.
J Med. 2002;33(1-4):73-86.
-
3. Dayan D, Abu-Abeid S, Klausner JM, Sagie B.
Primary Retroperitoneal Mucinous Cystic Neoplasm: Authors' Experience and
Review of the Literature.
Am J Clin Oncol. 2016;39(5):433-40.

B.3. Review Articles Accepted

B.3. Review Articles Submitted for Publication

C. CHAPTERS IN BOOKS

1. Meller I, Mozes M, Kollender Y, Manor E, Lev D, Abu-Abeid S, Klausner JM.
Limb sparing surgery for extensive soft tissue sarcomas and bone sarcomas of
the extremities: The role of hyperthermic isolated limb perfusion with high dose
tumor necrosis factor alpha and melphalan as a limb preserving modality. The
Israeli experience.
In: *Multimodality Approaches for Limb Salvage of Extremity Sarcomas.*

2. Klausner JM, Lev-Chelouche D, Abu-Abeid S, Gutman M.
Isolated Limb Perfusion for Malignant Melanoma and Soft Tissue Sarcoma.
In: Markman M, ed. *Regional Chemotherapy: Clinical Research and Practice*,
Humana Press: Totowa NJ, 1999: 57-85.

-
3. Nachmany I, Szold A, Klausner J, Abu-Abeid S.
Resolution of Bariatric Comorbidities: Sleep Apnea.
In: Buchwald H, Cowan GSM, Pories WJ, eds. *Surgical Management of Obesity*.
Philadelphia: W.B. Saunders; 2007:377-382.

D.1. INVITED PAPERS IN SCIENTIFIC MEETINGS

1. Abu-Abeid S, Szold A.
Laparoscopic adjustable silicon gastric banding (LASGB) for the treatment of
morbid obesity in the elderly.
13th International Symposium on Obesity Surgery/4th Congress of the
International Federation for the Surgery of Obesity, Salzburg, Austria, 22-25
September 1999.
2. Abu-Abeid S, Szold A.
Guidelines for follow up of patients following LAGB.
World Congress of High Tech Med. Expo 2000, Hannover, Germany, 21
October 2001.
3. Abu-Abeid S, Szold A.
Obesity Centre: The key to success.
International Federation of Obesity Surgery, Chania, Crete 2001.

D.2. PAPERS PRESENTED AT SCIENTIFIC MEETINGS PUBLISHED AS PROCEEDINGS

1. Niv Y, Abu-Abeid S, Oren M.
Primary Hodgkins disease of the spleen.
The Israeli Surgical Society Meeting, Nahariya, Nov, 1985.
2. Oren M, Niv Y, Abu-Abeid S.
Computerized diagnosis of acute appendicitis.
9th World Congress of the Collegium Interntional Chirurgia Digestiva (CICD),
Jerusalem 1986.
3. Abu-Abeid S, Turani H, Zeiden G, Oren M.
Extramedullary gastric plasmacytoma. A case report and review of the
literature.

Annual Conference of the Israel Surgical Society, Tiberius, Nov. 1988.

4. Niv Y, Abu-Abeid S, Newman G.
Gastric acid secretion rate estimation by alkaline tide phenomenon in arterialized venous blood and estimation of completeness of vagotomy.
Israeli Society of Gastroenterology Meeting, Herzliya, Dec. 1989.
5. Abu-Abeid S, Inbar M, Gutman M, Ravid A, Sorkin P, Papo J, Chaitchik S, Klausner JM.
Chemofiltration for locally advanced cancer.
7th European Conference on Clinical Oncology and Cancer Nursing (ECCO7), Jerusalem, Israel, 14-18 November 1993.
6. Lev D, Abu-Abeid S, Inbar M, Sorkin P, Chaitchik S, Klausner JM.
The treatment of extensive soft tissue sarcoma by isolation perfusion combined with high dose r tumor necrosis factor alpha combined with melphalan.
7th European Conference on Clinical Oncology and Cancer Nursing (ECCO7), Jerusalem, Israel, 14-18 November 1993.
7. Klausner JM, Inbar M, Abu-Abeid S, Sorkin P, Chaitchik S.
The treatment of extensive soft tissue sarcoma of the limb by isolation perfusion with high dose r tumor necrosis factor alpha combined with melphalan.
ICRCT 93, VI International Conference on Regional Cancer Treatment, Weisbaden, Germany, 1993
8. Inbar M, Abu-Abeid S, Gutman M, Ravid A, Sorkin P, Papo J, Chaitchik S, Klausner JM.
Chemofiltration for locally advanced cancer.
ICRCT 93, VI International Conference on Regional Cancer Treatment, Weisbaden, Germany, 1993
9. Gutman M, Lev D, Abu-Abeid S, Inbar M, Klausner JM.
Hyperthermic isolated limb perfusion (ILP) with high dose tumor necrosis factor (TNF) and melphalan in metastatic/recurrent melanoma of the limbs.
The 38th Annual Clinical Conference of the MD Anderson Cancer Center, Houston, TX, USA, Feb 21-24, 1995.
10. Abu-Abeid S, Gutman M, Lev D, Inbar M, Chaitchik S, Meller I & Klausner JM.
Hyperthermic isolated limb perfusion with high dose rTNF and melphalan in locally advanced sarcoma of the limbs.
Meeting of the Israel Surgical Oncology Society: Medax '95: 10th Israel Medical Week, Tel Aviv, Israel, 6 Sept. 1995.

11. Galili Y, Sorkin P, Lev D, **Abu-Abid S**, Gutman M, Aderka D, Klausner JM. TNF induced early hypotension is not mediated by nitric oxide. VII International Congress on Regional Cancer Treatment, Wiesbaden, Germany, 11-13 September 1995.
12. Gutman M, Lev D, **Abu-Abid S**, Sorkin P, Meller I and Klausner JM. Flow rate adjustment can influence systemic leakage of rTNF α administered via isolated limb perfusion. VII International Congress on Regional Cancer Treatment, Wiesbaden, Germany, 11-13 September 1995.
13. Abu-Abid S, Gutman M, Lev D, Inbar M, Chaitchik S, Meller I, Klausner JM. Hyperthermic isolated limb perfusion with high dose rTNF α and melphalan in locally advanced sarcoma of the limbs. VII International Congress on Regional Cancer Treatment, Wiesbaden, Germany, 11-13 September 1995.
14. Lev D, **Abu-Abeid S**, Inbar M, Meller I, Chaitchik S, Merhav A, Klausner JM, Gutman M. High dose tumor necrosis factor administered in isolated limb perfusion leads to 97% response rate in advanced soft tissue sarcoma. Surgical Forum, 81st Clinical Congress of the American College of Surgeons, New Orleans, USA 22-27.10.95. Vol. XLVI, pp. 523-525.
15. Lev D, Abu Abied S, Gutman M, Meller I, Inbar M, Chaitchik S, Shechter J, Klausner JM. Hyperthermic isolated limb perfusion (ILP) with high dose TNF and melphalan - Update in 71 patients. 2nd Interim International Conference on Regional Cancer Treatment, Eilat, Israel, 16-20 Sept. 1996.
16. **Abu-Abeid S**, Gutman M, Lev D, Meller I, Klausner JM. Double isolated limb perfusion with high dose tumor necrosis factor and melphalan: An effective method for obtaining limb salvage in advanced soft tissue sarcoma. 2nd Interim International Conference on Regional Cancer Treatment, Eilat, Israel, 16-20 Sept. 1996.
17. Gutman M, Lev D, **Abu-Abeid S**, Meller I, Inbar M, Klausner JM. Multifocal soft tissue sarcoma: Limb salvage following ILP with TNF and melphalan. 2nd Interim International Conference on Regional Cancer Treatment, Eilat, Israel, 16-20 Sept. 1996.

18. Bickels J, Gutman M, Kollender Y, Abu-Abeid S, Mozes M, Lev D, Klausner JM, Meller I.
Hyperthermic isolated limb perfusion with tumor necrosis factor and melphalan for unresectable bone sarcomas of the lower extremity: Our experience with five cases.
9th Meeting of the European Musculoskeletal Oncology Society (EMSOS), Istanbul, Turkey, 24-25 Oct. 1996.
19. Bickels J, Gutman M, Kollender Y, Abu-Abeid S, Mozes M, Lev D, Klausner JM, Meller I.
Hyperthermic isolated limb perfusion with tumor necrosis factor and melphalan for unresectable bone sarcomas of the lower extremity: Our experience with five cases.
2nd Osteosarcoma Research Conference, Bologna, Italy, 19-22 Nov. 1996.
20. Gutman M, Lev D, Abu-Abeid S, Meller I, Inbar M, Kollender Y, Chaitchik S, Klausner JM.
Hyperthermic isolated limb perfusion (ILP) with high dose TNF and melphalan - Update in 71 melanoma and sarcoma patients.
50th Annual Meeting of the Society of Surgical Oncology, Chicago, USA, March 20-23, 1997.
21. Gutman M, Abu-Abeid S, Lev D, Inbar M, Klausner JM.
High dose tumour necrosis factor (TNF) via isolated limb perfusion (ILP): a new tool for the treatment of advanced limb melanoma.
2nd International Conference on the Adjuvant Therapy of Malignant Melanoma, Royal Society of Medicine, London, UK, 14-15 March 1997.
22. Meller I, Gutman M, Lev-Shlush D, Abu-Abeid S, Kollender Y, Merimsky O, Inbar M, Isakov J, Klausner JM.
Hyperthermic isolated limb perfusion with high dose necrosis factor alpha and melphalan as a limb preserving modality in patients with extensive soft tissue sarcomas.
Ninth International Symposium on Limb Salvage, New York, USA, 10-12 September 1997.
23. Meller I, Gutman M, Lev-Shlush D, Abu-Abeid S, Kollender Y, Merimsky O, Inbar M, Isakov J, Klausner JM, Mozes M.
Hyperthermic isolated limb perfusion with tumor necrosis factor alpha and melphalan in patients with advanced soft tissue sarcoma of the extremities: A histological study of the effect of tumor necrosis factor on the tumor mass.
Ninth International Symposium on Limb Salvage, New York, USA, 10-12 September 1997.
24. Aderka A, Sorkine P, Abu-Abid S, Lev D, Inbar M, Gutman M, Klausner JM.
Shedding of soluble TNF receptors (sTNF-Rs) induced by systemic TNF

leakage following isolated limb perfusion (ILP) in cancer patients: Its relevance to septic shock-like syndrome.

First World Congress of Surgical Oncology/51st Annual Meeting of the Society of Surgical Oncology, San Diego, USA, March 26-29, 1998.

25. Lev D, Abu-Abeid S, Issakov J, Inbar M, Meller I, Kollander Y, Klausner JM. Isolated limb perfusion (ILP) with tumor necrosis factor (TNF) and melphalan for multifocal soft tissue sarcoma (STS): Limb salvage in fatal disease. First World Congress of Surgical Oncology/51st Annual Meeting of the Society of Surgical Oncology, San Diego, USA, March 26-29, 1998.
26. Lev-Chelouche D, Abu-Abeid S, Kollander Y, Meller I, Merimsky O, Inbar M, Klausner JM, Gutman M. Hyperthermic isolated limb perfusion with high-dose tumor necrosis factor and melphalan for extensive unresectable soft tissue sarcoma confined to the limb: Update in 55 patients. 9th Congress of the European Society of Surgical Oncology, Lausanne, Switzerland, 3-6 June 1998.
27. Gutman M, Lev-Chelouche D, Abu-Abeid S, Inbar M, Klausner JM. Isolated limb perfusion with tumor necrosis factor and melphalan for locally advanced malignant melanoma. 9th Congress of the European Society of Surgical Oncology, Lausanne, Switzerland, 3-6 June 1998.
28. Abu-Abeid S, Szold A. Adjustable silicon gastric banding for reoperation of failed bariaric procedures. 15th Annual Meeting of the American Society for Bariatric Surgery, Orlando, FL, USA, 24-27 June 1998.
29. Abu-Abeid S, Szold A. Early complications of laparoscopic adjustable gastric banding. 15th Annual Meeting of the American Society for Bariatric Surgery, Orlando, FL, USA, 24-27 June 1998.
30. Abu-Abeid S, Szold A. Laparoscopic management of adjustable gastric band migration. 15th Annual Meeting of the American Society for Bariatric Surgery, Orlando, FL, USA, 24-27 June 1998.
31. Szold A, Abu-Abeid S. Early results of laparoscopic adjustable gastric banding. 6th World Congress of Endoscopic Surgery, Rome, Italy, 31.5-6.6.98. Surg Endoscopy 12(5): abstract #V-603, 1998.

32. Abu-Abeid S, Szold A.
Results and complications of laparoscopic adjustable gastric banding.
European Society for Bariatric Surgery, Bruges, Belgium, Sept. 1998
33. Abu-Abeid S, Aderka D, Lev-Chelouche D, Cope AP, Wallach D, Gutman M, Klausner JM.
Shedding of soluble TNF receptors (TNF-Rs) induced by systemic TNF leakage following isolated limb perfusion (ILP) in cancer patients: its relevance to septic shock-like syndrome.
American College of Surgeons: Surgical Forum, Chicago USA 23-26.10.98
34. Lev-Chelouche D, Abu-Abeid S, Kollander Y, Meller I, Merimsky O, Inbar M, Klausner JM, Gutman M.
Hyperthermic isolated limb perfusion (ILP) with high dose tumor necrosis factor (TNF) and melphalan for extensive irresectable soft tissue sarcomas (STS) confined to the limb: Update in 55 patients.
Ninth International Congress on Anti-Cancer Treatment, Paris, France, 2-5 Feb. 1999.
35. Szold A, Abu-Abeid S.
Laparoscopic reoperations following laparoscopic adjustable silicon band gastroplasty (LASBG) for morbid obesity.
Annual Scientific Session, Society of American Gastrointestinal Endoscopic Surgeons (SAGES), San Antonio, TX, USA, March 24-27, 1999.
36. Abu-Abeid S, Klausner JM, Szold A.
Results and complications of laparoscopic adjustable band gastroplasty in 450 patients.
Meeting of the Israel Surgical Society, Haifa, May 1999.
37. Lev-Chelouche D, Aderka D, Abu-Abeid S, Wallach D, Gutman M, Klausner JM.
Shedding of soluble TNF receptors (TNF-Rs) induced by systemic TNF leakage following isolated limb perfusion (ILP) in cancer patients: its relevance to septic shock-like syndrome.
21st Meeting of the Israel Surgical Society, Haifa, May 26-27, 1999.
38. Lev-Chelouche D, Abu-Abeid S, Kollender Y, Meller I, Klausner JM, Gutman M.
Isolated limb perfusion with TNF and melphalan for multifocal sarcoma of the extremities.
21st Meeting of the Israel Surgical Society, Haifa, May 26-27, 1999.
39. Szold A, Abu-Abeid S.

Intermediate term results of laparoscopic adjustable band gastroplasty in 450 patients.

4th International Symposium on Advanced Laparoscopic Surgery, Athens, Greece, May 26-29, 1999.

40. Issakov J, Lifschitz-Mercer B, Kollender J, Gutman M, Lev-Shlush D, **Abu-Abeid S**, Merimsky O, Inbar M, Klausner JM, Meller I.
Hyperthermic isolated limb perfusion with TNF- α and melphalan in extensive soft tissue sarcoma: An histological study of the effect on the tumor.
17th European Congress of Pathology & XIX Spanish Congress of Pathology, Barcelona, Spain, 18-23 September 1999.
41. **Abu-Abeid S**, Szold A.
Laparoscopic adjustable silicon gastric banding (LASGB) for the treatment of morbid obesity in the elderly.
13th International Symposium on Obesity Surgery/4th Congress of the International Federation for the Surgery of Obesity, Salzburg, Austria, 22-25 September 1999.
42. **Abu-Abeid S**.
Laparoscopic adjustable silicon band gastroplasty (LASBG).
Israel Diabetes Association: Meeting on Morbid Obesity. Eilat, Israel, 2-4 September 1999.
43. **Abu-Abeid S**.
Surgical treatment of morbid obesity.
Bi-Annual Meeting of Israel Society of Gastroenterology, Eilat, 16-18 Dec 1999.
44. Szold A and **Abu-Abeid S**.
Laparoscopic adjustable silicone gastric banding (LASGB) for morbid obesity: Results and complications in 715 patients.
Annual Meeting of the Society of American Gastrointestinal Endoscopic Surgeons (SAGES), Atlanta, Georgia, USA, March 29th-April 1st, 2000.
45. **Abu-Abeid S**, Szold A.
LAPBAND \square erosion following laparoscopic adjustable silicone gastric banding.
Meeting of the American Society for Bariatric Surgery, Memphis, USA, 14-17 June, 2000.
46. **Abu-Abeid S**, Kessler A, Eldor A, Szold A.
Absence of venous thrombosis following laparoscopic adjustable silicon gastric banding.
14th Int. Symposium on Obesity Surgery/5th Congress of the Int. Fed. for the

Surgery of Obesity/2nd Int. Symposium on Laparoscopic Obesity Surgery, Genoa, Italy, 20-23.9.2000.

47. **Abu-Abeid S**, Blanc A, Gurevitz A, Szold A.
The cooperation between the surgeon and radiologist in diagnosis, follow up and treatment of patients undergoing LASGB.
14th Int. Symposium on Obesity Surgery/5th Congress of the Int. Fed. for the Surgery of Obesity/2nd Int. Symposium on Laparoscopic Obesity Surgery, Genoa, Italy, 20-23.9.2000.
48. **Abu-Abeid S**, and Szold A.
Guidelines for follow up of patients following LAGB.
World Congress of High-tech Medicine, Expo 2000, Hanover, Germany, 21.10.2000.
49. **Abu-Abeid S**, Keidar A, Szold A, Klausner JM.
Laparoscopic gastroplasty following open gastric procedures.
Annual Meeting of the Israel Surgical Society, Tel Aviv, Israel, 9-10 May 2001.
50. Gutman M, Lev-Chelouche D, **Abu-Abeid S**, Merimsky O, Inbar M, Klausner JM.
Isolated limb perfusion with high-dose tumor necrosis factor-alpha and melphalan for Kaposi sarcoma.
American Society of Clinical Oncology (ASCO) Meeting, May 12-15, 2001.
51. **Abu-Abeid S**, Konikoff F, Goldiner I, Shahar E, Peretz H, Szold A.
Apolipoprotein E genotype and the risk of developing cholelithiasis following bariatric surgery: A clue to prevent routine prophylactic cholecystectomy.
18th Annual Meeting of the American Society for Bariatric Surgery, Washington DC, USA, June 2001.
52. **Abu-Abeid S**, Szold A.
LAGB in the adolescent.
18th Annual Meeting of the American Society for Bariatric Surgery, Washington DC, USA, June 2001.
53. **Abu-Abeid S**, Konikoff F, Goldiner I, Shahar E, Peretz H, Szold A.
Apolipoprotein E genotype and the risk of developing cholelithiasis following bariatric surgery: A clue to preventing routine prophylactic cholecystectomy.
18th Annual Meeting of the American Society for Bariatric Surgery, Washington DC, USA, June 2001.
54. **Abu-Abeid S**, Gurevitz A, Szold A.
Safety and feasibility of LAGB post-failed SRVG.

6th World Congress of the International Federation for Obesity Surgery, Chania, Crete, September 2001.

55. Abu-Abeid S, Keidar A, Blank A, Szold A.
The clinical spectrum of band erosion following laparoscopic adjustable gastric banding for morbid obesity.
Meeting of the American Society for Bariatric Surgery, Las Vegas, USA, 20-25 June 2002.
56. Abu-Abeid S, Szold A, Gavert N.
Hitting two birds with one stone: Laparoscopic revisional surgery for relief of life threatening stenosis following vertical banded gastroplasty together with placement of an adjustable gastric band.
7th World Congress of the International Federation for the Surgery of Obesity, Sao Paulo, Brazil, August 2002.
57. Abu-Abeid S, Szold A, Klausner JM.
The role of laparoscopy in bariatric surgery. Building a Better World Through Medicine.
US-Israel Solidarity Medical Conference, Jerusalem, Israel, 24-25 November 2002.
58. Abu-Abeid S, Goldiner I, Szold A, Gavert N, Peretz H, Grunberg E, Konikoff F.
Apolipoprotein E genotype and the risk of developing cholelithiasis following surgery for morbid obesity. A clue to prevent routine prophylactic cholecystectomy.
Meeting of the Israeli Gastroenterology and Liver Disease Society, Dead Sea, Israel, 26-28 Dec. 2002.
59. Abu-Abeid S, Gavert N, Wishnitzer N, Libergal M, Szold A.
The influence of surgical induced weight loss on the knee joint.
20th Annual Meeting of the American Society of Bariatric Surgery, Boston, MA, USA, June 2003.
60. Abu-Abeid S, Szold A, Gavert N, Klausner J.
Obesity surgery in the extreme ages, adulthood and elderly.
8th World Congress of the International Federation for the Surgery of Obesity. Salamanka, Spain, September 2003
61. Abu-Abeid S, Saguie B, Szold A.
Bariatric surgery in the adulthood.
2nd Alpine Congress on Obesity Surgery. Austria, April 2004

62. Abu-Abeid S, Gavert n, Sagie B, Nachmani I, Klausner J.
Safety and feasibility of simultaneous band removal and implantation in band erosion following LAGB.
9th World Congress of the International Federation for the Surgery of Obesity.
Tokyo, Japan, Sep 2004.
63. Bar-Zohar D, Klausner J, Sagie B, Abu-Abeid S.
Laparoscopic Tenckhoff catheter insertion for the treatment of chronic renal failure and congestive heart failure.
The Combined Meeting of the Colon and Rectum Society and Endoscopic Surgery. Eilat, Israel, 2004
64. Bar-Zohar D, Klausner J, Sagie B, Abu-Abeid S.
Pregnancy and perinatal outcomes after laparoscopic adjustable gastric banding.
The Combined Meeting of the Colon and Rectum Society & Endoscopic Surgery. Eilat, Israel, 2004
65. Abu-Abeid S, Bar Zohar D, Klausner J.
Pregnancy Following Laparoscopic Adjustable Gastric Banding.
SAGES 2005 Fort Lauderdale, Florida, USA, April 2005.
66. Abu-Abeid S, Keidar A, Carmon E, Bar -Zohar D and Klausner J.
Review of Port Complications Following LAGB: Eight years Experience in 2317 Patients.
SAGES 2005, Fort Lauderdale, Florida, USA, April 2005
67. Abu-Abeid S, Szold A, Klausner J.
Obesity Surgery in adulthood, results and complications.
Annual Meeting of the Israel Surgical Society, Dead Sea, Israel, June 2005.
68. Keidar A, Szold A, Klausner J, Abu-Abeid S.
Laparoscopic revision for the relief of obstruction following SRVG.
Annual Meeting of the Israel Surgical Society, Dead Sea, Israel, June 2005.
69. Khori W, Szold A, Wishnitzer N, Libergal N, Klausner J, Abu-Abeid S.
The influence of weight loss on the knee joint.
Annual Meeting of the Israel Surgical Society, Dead Sea, Israel, June 2005.
70. Nachmani I, Szold A. Klausner J, Abu-Abeid S.
Gastoplasty using the adjustable band in adulthood.
Annual Meeting of the Israel Surgical Society, Dead Sea, Israel, June 2005.
71. Abu-Abeid S, Szold A, Klausner J.

Obesity surgery in adulthood, results and complications.
Second Annual Meeting of the Israeli Society for the Investigation and Treatment of Obesity, Tel-Aviv, March 2005.

72. **Abu-Abeid S,**
Bariatric Surgery in childhood.
4th International Alpine Obesity Surgery Expert Meeting, Austria. 2006.
73. **Abu-Abeid S,** Symposium on Laparoscopic Sleeve Gastrectomy and Laproscopic Duodenal Switch with Live Procedures.
Israel Surgical Association and the Israeli Society for Endoscopic Surgery, Israel. 2008.
74. **Abu-Abeid S,**
Stapler line leakage following sleeve gastrectomy: prolonged course despite different treatments.
IFSO, Florida, USA. 2010.
75. **Abu-Abeid S,** other authors?
Bariatric Surgery is one part of several interventions in treating the morbid obese patients in order to succeed and to maximize the outcome of the surgical intervention for a long term, there is a need to diagnose, treat and change the behavioral pattern causing obesity.
IFSO, India. 2012.
76. Lessing Y, Pencovich N, Khatib M, **Abu-Abeid S,**
Bariatric single anastomosis gastric bypass: a single surgeon experience of 352 patients.
Joint Conference of the Israeli Society of Endoscopic Surgery, Israel Society of Colon and Rectal Surgery and the Israel Bariatric Surgery Society, Israel. 2014.
77. **Abu-Abeid S**
Single anastomoses gastric bypass.
EuroSciCon, London, UK. 2016.
78. **Abu-Abeid S,**
Regenerative technologies for the treatment of metabolic disorders.
Medico2016, Israel. 2016.
79. **Abu-Abeid S,** Eldar S, Lahat G, Klusner J.
Safety, feasibility and short term complication following LSAGB(laprosopic single anastomosis Gastric Baypass), results in the first 277 cases.
EOS – European Obesity Summit. Sweden. 2016.
80. **Abu-Abeid S,** Lessing Y, Pencovich N, Khtib M.
Bariatric single anastomosis gastric bypass: A single surgeon experience of 352 patients.
Annual Conference MINI GASTRIC BYPASS/ ONE ANASTOMOSIS GASTRIC BYPASS CLUB. London, UK, 2016.

81. Lessing Y, Pencovich N, Khtib M, Abu-Abeid S.
Single Anastomosis Gastric Bypass or one anastomosis gastric bypass.
IFSO2016, Brazil. 2016.
82. Abu-Abeid S., Pencovich N, Lessing Y, Khtib M.
Bariatric single anastomosis gastric bypass: A single surgeon experience of 532 patients.
SAGES2017, USA. 2017.
83. Abu-Abeid S.
Does the Omega loop offer a better outcome than Roux-en-Y gastric bypass?
DiaObesity Summit, Jerusalem Israel. November 22-24 2017.

D.3. ABSTRACTS

E. ITEMS IN ENCYCLOPEDIAS

F. BOOKS EDITED

G. OTHER PUBLICATIONS (Encyclopedias; Reports; Letter to Editors)

1. Dayan D, Abu-Abeid S., Klausner JM, Sagie B.
Disseminated mucormycosis-induced perforated intestine in a late presenting AIDS patient with steroid-dependent secondary hemophagocytic lymphohistiocytosis.
AIDS. 2015;29(16):2216-7.
2. Keidar A, Abu-Abeid S., Lieberman G, Bachrach R, Zacharovitch D, Raz I.
[Surgical treatment of morbid obesity].
Harefuah. 2008;147(11):879-84, 941, 940. [Hebrew]
IF NOT INDEXED Cited: 1.
3. Khatib M, Zvibel I, Zelber-Sagi S, Varol C, Lahat G, Abu-Abeid S., Klausner JM, Halpern Z, Fishman S.
Discriminatory metabolic and inflammatory parameters in serum and omental adipose tissue of obese patients with different insulin sensitivity.
J Clin Transl Endocrinol. 2014;1(3):115-119.
IF NOT INDEXED; Cited: 0.
4. Zelber-Sagi S, Shoham D, Zvibel I, Abu-Abeid S., Shibolet O, Fishman S.
Predictors for advanced fibrosis in morbidly obese non-alcoholic fatty liver patients.
World J Hepatol. 2017;9(2):91-8.
IF NOT INDEXED; Cited: 0.

Name Subhi Abu-Abeid Degree MD

CV updated 12.12.2017

H. Member of Editorial Board/ Reviewer (International Journals)

2005-2015 Ad hoc Reviewer Obesity Surgery.

2010-present Ad hoc Reviewer Indian Journal of Surgery.